

# Section A: Ready to vaccinate

## Section A: Ready to vaccinate - summary of changes

Version	Date	Section	Summary of Changes
67.0	27/2/26	3.6 Staff training and reference materials	Removed reference to the Inventory management (eLearning) course as it is no longer available. See the Inventory Portal homepage for how-to guidance.
		7.4-Ordering Interwaste vial disposal bins	Updated to reflect Comirnaty LP.8.1 30mcg/0.3mL single dose pre-filled syringes should be disposed in sharps bins at the point of use.
		8.2- Differentiation of Vaccines	Updated to reflect discontinuation of Comirnaty LP.8.1 30mcg/0.3mL single dose vial (light grey cap) 12 years + and replacement with Comirnaty LP.8.1 30mcg/0.3mL single dose pre-filled syringes (light grey label border) 12 + years.
		8.3- Cold Chain Storage	
		9.1.5- Vaccine unit sizes and dimensions	Updated to reflect no vaccine deliveries on Fridays from 1 March 2026.
		9.1 Vaccine Ordering	
		Table 9.1 ordering information required	
		Table 9.3 Administration Syringes and Needles	Updated to reflect Vernacare Low Dead Space Needles are not to be used with Comirnaty LP.8.1 30mcg/0.3mL single dose pre-filled syringes (light grey label border) 12 + years and BD Hypodermic Needles are available to order.
Table 9.4 Site delivery and receipt process	Updated to reflect no vaccine deliveries on Fridays and the courier will not wait while providers unpack deliveries from 1 March 2026. Providers are to use instructions in the shipper box to coordinate its return to the warehouse.		
10.3 Disposal of pre-filled syringes and vaccines drawn up but not administered and empty vaccine syringes	Updated to reflect Comirnaty LP.8.1 30mcg/0.3mL single dose pre-filled syringes should be disposed in sharps bins at the point of use.		

## Section guidance

This section provides operational guidance, including equity, site considerations, onboarding, vaccination workforce, IPC guidance, ordering, planning, vaccine handling and storage, logistics, and site closure; to ensure consistent, equitable and quality vaccination.

### Purpose

This section is designed to be applicable from the preparation of a vaccination site (from the selection and setting up of a suitable site), through to the closing of a site.

#### Appendices relevant to this section

- **Appendix A: Site checklist**
- **Appendix B: New facility/site setup**
- **Appendix C: Facility/site closure**
- **Appendix D: Logistics and Inventory Management**
- **Appendix E: NIP logistic overview/ cheat sheets**

# 1 Equity

Providers must ensure vaccination sites are accessible to all members of the community and there is equitable opportunity for Māori and Pacific people, other ethnic communities, and disabled people.

## 1.1 Equitable access

Reasonable steps must be taken to improve access and reduce potential inequalities.

Steps to enable equitable access may include:

- Providing access to translation and interpretation services to support the consent and immunisation processes. For more information on interpreter services see <https://healthify.nz/translations/i/interpreter-services/>
- Ensuring key written material and any signage is in easy-to-read formats.
- Providing supporting literature available in a range of languages and resources/support for those who have low health literacy. This may include access to New Zealand Sign Language (NZSL) if needed.
- Considering how the service delivery model caters for the support people consumers may bring to the vaccination event (such as friends, whānau, carers).
- Encouraging site staff to greet consumers in Te Reo or the language the consumer uses where possible.

## 1.2 Te Tiriti and Māori

Actively incorporate Te Tiriti o Waitangi considerations, including:

- ensuring Māori are not disadvantaged
- mitigating the impact to Māori as a result of COVID-19
- establishing and maintaining effective partnerships with Māori stakeholders including iwi, hapū and whānau
- seeking Māori-specific advice from the outset
- resourcing and investing where it is required the most
- starting and ending the day with a karakia.

## 1.3 Māori and Pacific peoples

- Ensure as far as reasonably practicable, the site workforce reflects the demographic make-up of the likely consumer group or local area.
- Consider which site locations can best meet the community's needs in terms of both ease of access and comfort or familiarity with the location (such as marae, churches).
- Where drive-in sites are planned, ensure consumers can attend the site if they do not have a car or have access to a non-drive-in site.
- Build early and regular engagement with Māori and Pacific partners into the service delivery model to ensure design to the community's needs.

## 1.4 Disability and/or Impairments

Ensure access for disabled consumers and others, including venue accessibility and accessible information. For more information on venue accessibility, see the **Ministry's website**. Equity steps and processes to follow include:

- Designing site support processes to support consumers with visual impairments or are hard of hearing. For example, providing a card to ask consumers advise site staff if they have a hearing impairment to ensure their needs can be met during the vaccination or any follow up interactions.
- For Deaf or hard of hearing consumers, there may be a need to arrange a New Zealand Sign Language (NZSL) Interpreter. Information on working with NZSL Interpreters can be found at <https://www.odi.govt.nz/nzsl/tools-and-resources/>
- Ensuring staff are educated in disability equity issues and know how to employ a rights-based approach. A 30-minute Disability Equity eLearn is available through the **Ministry's LearnOnline website**.
- Enabling consumers to access appropriate support and accommodations they may need for a successful vaccination, for example, are there any measures as a site or team that can be implemented to support mobility constraints, or accommodate individuals, families and whānau if a consumer has an anxiety or phobia, or may need a quiet and low stimulation environment?
- Supported decision-making is an important process for consumers needing support to make decisions. This may be due to a consumer's communication needs, learning disability, acquired brain injury, neurodiverse needs, mental health issues or other cognitive or physical condition.
- Supported decision-making is a way for consumers to make their own decisions based on their will and preferences, so they have control of their life, ensuring the consumer needing support is at the centre of decision making that concern them. Training on supported decision making is available on **IMAC's website**.

## 2 Site considerations

### 2.1 Environmental considerations and safety controls at the vaccination site

Assess the layout of the building or area identified for vaccination delivery to ensure features are in place supporting appropriate IPC implementation to meet current required standards for the site location. This is to ensure protection for consumers as well as site staff.

For current advice, refer to **COVID-19: Infection prevention and control recommendations for health and disability care workers – Health New Zealand Te Whatu Ora - Health New Zealand**.

### 2.2 Business continuity

A business continuity plan is required for each site to guide recovery from events that may interrupt service delivery such as a power failure.

Hard copies of the following forms should be available on site in the event of the AIR vaccinator portal or integrated Patient Management System (PMS) being unavailable:

- Vaccination recording form
- Consent form

See the **Key documentation – Te Whatu Ora – Health New Zealand** to download copies of the forms.

**Note:** Any hard copy forms must be entered as soon as practicable and in any event by close of business on the **following day**. Ensure any printed copies of information are locked away when not in use.

### 2.3 Site access and traffic management

Waka Kotahi NZ Transport Agency has provided the following advice to support site location and traffic management planning.

In addition to the considerations below, the **Waka Kotahi Journey Planner** is useful for assessing how people will safely access your sites. Similarly, regional council websites also contain valuable information about local public transport provision.

#### Access considerations

When choosing your location, consider how easily people might be able to access the site. For example, consider the following:

- How easily people with mobility issues can access your site
- Is a public transport stop within 500m of your site?
- Are there multiple routes and/or multiple modes of public transport within 500m?
- Does the site provide cycling or walking access?
- Is adequate parking available for people using a private vehicle?
- Are there opportunities to locate the site in place that will reduce the number of additional trips people need to make?
- Is any additional signage required to direct people to the location of the centre?
- How would consumers living in areas not serviced by public transport reach your site?

## Traffic management considerations

Consider how the numbers of people receiving vaccines increases will impact the traffic network. For example, consider:

- How will the increase in road users impact vehicle congestion?
- How many different routes can consumers use to access the site?
- The impact to current levels of congestion at different times of the day.
- Is the site close to major arterial roads or state highways, which may give greater access?
- Does your site location provide easy access to public transport to mitigate impacts on road congestion?
- Are there any planned roadworks, road closures, or events that may impact access?
- Will any potential queues to your facility affect access to key services such as emergency services, health centres, or schools?
- Could you provide multiple small sites instead of a few major locations servicing large numbers of people to better disperse demand across the transport system?
- Can your booking system be used to manage demand on the facility and consider peak traffic times?

## 2.4 Site physical security

Each vaccination site must provide for:

- Staff safety
- Consumer safety
- Visitor safety
- Vaccine security including storage facilities and in-transit
- Information security – particularly paper-based information such as spreadsheets
- Contingency plans addressing a disturbance/potential protest event.

A documented risk assessment should be conducted for every individual vaccination site. This should include, but is not limited to, the following considerations:

- How will staff travel to the vaccination location?
- Will secure parking be provided for vaccinators and administrators?
- How is site access controlled?
- How is the vaccine transported to and from the vaccination site?
- How is the vaccine securely stored at the vaccination site?

- How are consumables, including items such as needles, securely stored at the vaccination location?
- How is hard copy information (if any) securely stored at the vaccination site?
- How staff respond to disruptions

## 2.5 Planning for adverse events

Consumers who have a history of allergy or hypersensitivity, following administration of vaccines or injectable medicines, will require additional monitoring at the time of receiving their first vaccine dose. Similarly, consumers who experienced an adverse event after receiving their first dose of the vaccine may require clinical monitoring at the time of the second dose.

NPHS Health New Zealand Te Whatu Ora expects vaccination sites to have appropriate protocols, equipment, settings, and workforce in place to support those who may require enhanced care following vaccination. Consider arranging any enhanced or additional consumer care requirements at the time of booking, or prior to these consumers attending a vaccination site.

It is recommended simulation scenarios are used to prepare staff to respond to adverse events.

## 2.6 Mobile vaccination set up

Mobile vaccination teams may be established to reach vulnerable families or small communities to address equity needs for the community being vaccinated.

When setting up a mobile vaccination team, it is important an appropriate operating model is in place and includes the following:

- **Equipment and connectivity:** Ensure mobile vaccination teams have the required equipment, both medical equipment and technology, to enable the use of the AIR vaccinator portal or PMS onsite. Check the connectivity at the site before attending.
- **AIR vaccinator portal recording:** Ensure the mobile team knows the name of their facility and team (site) to select in AIR.
- **Planning:** Establish a location plan for the mobile team with the appropriate logistics in place. Ensure a record is kept of where and when the mobile team has been vaccinating and notification to local services as required eg emergency services, local iwi etc..
- **Vaccine storage and transport:** All appropriate and standard cold chain requirements must be met when transporting and storing vaccine. See guidance on transporting and storing vaccine in the **Vaccine storage and handling** section below for more information.
- **Business continuity:** Ensure a business continuity plan is in place for the team to manage unexpected events and appropriately record vaccination events, such as having a stock of printed event forms on hand if access to the AIR vaccinator portal or PMS is unavailable and managing unexpected events.
- **Site readiness:** Refer to the **Site readiness and closure** section below for completing a dry run with your mobile team before commencing vaccinations.

# 3 Preparing the vaccination workforce

## 3.1 Vaccinating the workforce

Before commencing vaccinations, NPHS recommends all staff are provided with an opportunity to ensure they are up to date with all vaccinations including any eligible COVID-19 doses.

## 3.2 Clinical leadership

Every vaccinating site or service should have a named lead clinician each shift. This lead should be an appropriately experienced clinician who is able to lead the vaccination team, manage and investigate adverse events and incidents, and provide onsite clinical advice.

## 3.3 Preparation and planning phase

- Appoint an appropriate team member as the IPC lead for the service.
- Identify an adequate number of vaccinators and administrators to ensure sufficient staff and time is available to support correct implementation of IPC practices required to cover any staff absences and provide for consumers requiring any extra support.

## 3.4 Quality and safety

There is an expectation that each District has quality and safety oversight of the vaccination Programme rollout through their existing quality and safety and/or clinical governance mechanisms. For clarity, this includes adverse events, complaints, and incident management.

**Note:** In this context, 'adverse event' does not refer to an adverse reaction following immunisation.

## 3.5 Occupational health and safety requirements

Appropriate occupational health and safety policies and procedures are required for each site. This will include an accessible needlestick injury protocol which staff are familiar with.

## 3.6 Staff training and reference materials

Training will be provided to AIR vaccinator portal users and vaccinators through a combination of eLearning modules and quick step guides. The AIR system how-to guides are available online within the AIR vaccinator portal Help Centre tab for continued availability and reference.

The eLearning modules and quick step guides include:

- AIR vaccinator portal guide <https://www.tewhaturora.govt.nz/for-health-professionals/vaccine-information/aotearoa-immunisation-register/key>
- Aotearoa NZ COVID-19 vaccinator online course (eLearning) <https://www.immune.org.nz/catalogue/aotearoa-nz-covid-19-vaccinator>
- Vaccine storage & transport (eLearning) <https://www.immune.org.nz/catalogue/2021-vaccine-storage-and-transport>

In addition to these training materials, staff have access to a range of reference materials. Please refer to the IMAC website for vaccinator training materials. These include:

- IMAC written resources: <https://www.immune.org.nz/resources/factsheets> . This includes COVID-19 vaccinator guidelines and instructions for preparing doses.
- IMAC video resources: <https://www.immune.org.nz/resources/videos>
- IMAC FAQs: available on the IMAC website at: <https://www.immune.org.nz/education/common-education-questions>
- There is a COVID-specific chapter in *The Immunisation Handbook*: which provides clinical guidance for administering vaccines. This information is updated regularly. See <https://www.tewhaturora.govt.nz/for-health-professionals/clinical-guidance/immunisation-handbook/5-coronavirus-disease-covid-19>

See the **Ordering site collateral** section below for details regarding collateral to be given to consumers.

## 3.7 Access to training on managing inventory and using the AIR vaccinator portal

Staff should complete the IMAC training by registering at <https://www.immune.org.nz/education/courses-and-events> to complete vaccinator E Learning modules. Those who need to record COVID-19 vaccinations using the AIR vaccinator portal should also complete the relevant AIR training module.

## 3.8 On site functions

NPHS Health New Zealand Te Whatu Ora has identified the following functions for the onsite team. Note that someone with a clinical role (such as a vaccinator) may perform non-clinical functions, particularly in smaller sites.

The list below outlines the functions required to assist workforce planning. It is not intended to be a prescriptive list of all functions and expectations of different roles.

### Clinical functions

- Preparing the vaccination dose
- Obtaining consent to receive the vaccination and ensuring consumers are informed of myocarditis and pericarditis risk, symptoms, the need to seek medical review and how to access this. Ensure consumers have received a copy of the “After the Covid Vaccine” to take away or have been encouraged to take a photo of this for referring to at a later stage if required.
- Asking health questions prior to administering the vaccine
- Vaccinating the consumer
- Monitoring consumers in an observation area for any adverse events
- Attending to adverse events and recording them

Staff performing clinical functions must be appropriately trained by **the Immunisation Advisory Centre (IMAC)**.

### Non-clinical functions

- Greeting consumers and answering questions
- Identifying any accommodations and additional support consumers may require, such as mobility support, low sensory/quiet spaces, interpreters (including New Zealand Sign Language interpreters)
- Confirming consumer identity
- Entering consumer information into the AIR vaccinator portal or integrated PMS
- Ensuring the up-to-date consumer collaterals are in stock including consent form and vaccine information fact sheets
- Directing the consumer to the Privacy Statement
- Recording the vaccine details in the AIR vaccinator portal or integrated PMS
- Advising the consumer when they can depart the observation area
- Completing or arranging daily cleaning of the site
- Arranging collection of medical waste
- Decommissioning the site when it is no longer needed
- Providing reporting back to NPHS Health New Zealand Te Whatu Ora or Health District or provider leads as needed.

## 3.9 Workforce modelling

The size of the vaccination site and volume of vaccinations expected to be delivered on site will determine the size of the workforce required. The following tables outline staffing models for consideration as the vaccination workforce is planned.

**Note:** The framework below is only a suggestion and site workforce requirements will depend on matters such as expected site volumes, the service delivery model adopted and the likely needs of the consumers (for example, low health literacy or low English skills), more support throughout the process may be required which may in turn affect timing and resourcing.

Refer to **Appendix 4** in the *Immunisation Handbook* for further guidance on criteria for authorised vaccinators and minimum staff and equipment requirements for the provision of vaccination services.

**Table 3.1 – activities and associated staffing**

Waiting room	Immunisation event	After the event
<p><b>Activity</b></p> <ul style="list-style-type: none"> <li>Consumer checked in to the site, any additional support required by consumer is arranged.</li> </ul>	<ul style="list-style-type: none"> <li>Consumer and vaccinator will have a clinical conversation about the vaccination and consumer will provide consent.</li> <li>Immunisation occurs.</li> <li>Administrator will enter details into AIR vaccinator portal or integrated PMS as the vaccinator performs the vaccination.</li> </ul>	<ul style="list-style-type: none"> <li>Consumers must remain onsite for 15 mins after the event for monitoring.</li> </ul>
<p><b>Staffing</b></p> <ul style="list-style-type: none"> <li>1 x Administrator</li> </ul>	<p><b>Staffing</b></p> <ul style="list-style-type: none"> <li>1 x Administrator</li> <li>1 x Vaccinator</li> </ul>	<ul style="list-style-type: none"> <li>1 x Registered health professional <b>minimum specifications in Appendix 4.2</b> of the <i>Immunisation Handbook</i>.</li> <li>1 x support person with CPR training</li> </ul>

Based on the activities and staffing numbers above, NPHS Health New Zealand Te Whatu Ora recommends the following site staffing numbers:

**Table 3.2 – site staffing number recommendations**

If 20 vaccinations/day	If 120 vaccinations/day	If 360 vaccinations/day
<p><b>Staffing</b></p> <ul style="list-style-type: none"> <li><b>2 x vaccinators working at the site who will undertake all roles</b></li> </ul>	<p><b>Staffing</b></p> <ul style="list-style-type: none"> <li>1 x Admin in waiting room</li> <li>3 x Vaccinators</li> <li>3 x Admin support</li> <li>1 x Vaccinator drawing up</li> <li>1 Registered Health Professional and 1 x Support person monitoring during observative period</li> </ul>	<p><b>Staffing</b></p> <ul style="list-style-type: none"> <li>1 x Admin in waiting room</li> <li>9 x Vaccinators</li> <li>9 x Admin support</li> <li>3 x Vaccinators drawing up</li> <li>2 x Registered Health Professionals and 1 x Support person monitoring during observative period</li> </ul>

**Note 1:** If Vaccinating Health Workers are being used, there must be one (1) dedicated vaccination clinical supervisor for every six (6) Vaccinating Health Workers.

**Note 2:** Dedicated vaccination clinical supervisors are not simultaneously responsible for any other roles or processes that prevent them from being immediately available while supervising Vaccinating Health Workers.

**Note 3:** Health Districts and providers will need to be prepared to adjust their site staffing requirements as administering the COVID-19 vaccine will likely vary from these assumptions as delivery progresses and lessons learned

## 3.10 Mobile and home vaccinator workforce

For fixed sites, providers should consider the number of vaccinators and administrators that are needed for home or mobile vaccinations to ensure safety of both consumers and staff. Staff delivering home vaccination will need to have completed the required training.

# 4 Infection prevention and control (IPC)

For the latest guidelines on IPC please see the following [link](#). These principles and recommendations have been derived from the World Health Organization (WHO) guidance.<sup>1</sup>

This guidance is intended for policy makers, immunisation Programmes and IPC Lead for vaccination delivery venues.

## 4.1 Key IPC principles for COVID-19 vaccine deployment

Standard precautions to be applied during any vaccination activity are also valid for COVID-19 vaccine delivery, considering the population to be vaccinated consists of individuals **not** presenting signs and symptoms of infection.

National guidance and protocols for IPC measures should be consulted and adhered to when developing site operational guidelines.

### Local IPC guidance

Include the following details, when developing your local IPC guidance and standard operating procedures for COVID-19 vaccination:

- Screening policies for COVID-19 signs and symptoms for staff and consumers arriving for vaccination along with clear exclusion criteria.
- Key IPC measures to be taken by anyone in the vaccination area or clinic.
- Key IPC measures for safely administering COVID-19 vaccines.
- Cleaning and disinfection of the environment.
- Appropriate waste management, taking into consideration the increase of waste associated with COVID-19 vaccination activities. Where possible, include environmentally sound approaches to manage both general and medical waste at point of use, segregation, disposal, and collection.
- Visual reminders emphasising hand hygiene, safe injection practices, respiratory hygiene, and other IPC measures.
- Training materials for relevant staff.
- Communication material to inform and educate consumers.

---

<sup>1</sup> Aide-Memoire Infection prevention and control (IPC) principles and procedures for COVID-19 vaccination activities, 15 January 2021. <https://apps.who.int/iris/handle/10665/338715>

## IPC supplies

Ensure there is a continuous and sufficient supply of the following as required to conform to current guidelines:

- PPE, including eye protection and long-sleeve fluid resistant gowns and gloves for the vaccination team's protection in the event of dealing with a vaccine adverse event or other incidents such as support to an unwell consumer or clean-up of body fluids.
- Other IPC supplies including alcohol-based hand sanitisers, thermo-scans for temperature screening, tissues, waste bins and bin liners, sharps disposal bins, cleaning and disinfection products, visual reminders, and signage and physical barriers to aid spatial separation.

Identify a suitable secure area for storage of supplies.

# 5 Aotearoa Immunisation Register

The Aotearoa Immunisation Register (AIR) vaccinator portal is a centralised, browser-based system that can be used to record vaccination details. Users with access to an integrated Practice Management System (PMS) should continue to record vaccination details in their PMS.

Consumers can request that access to their immunisation information in the AIR is restricted. See the **Health New Zealand Te Whatu Ora website** for AIR privacy information related to the use of the AIR and the Request to restrict access form.

The AIR has replaced the National Immunisation Register (NIR) and the COVID-19 Immunisation Register (CIR) as of November 2023.

## 5.1 Signing up to the AIR vaccinator portal

Key information relating to the use of the AIR vaccinator portal are identified and defined below:

**STEP 1** Appoint an AIR facility manager.

**STEP 2** Facility managers use this link **HERE** to commence sign up. During the sign-up process they select 'Facility Manager' as their role. The facility manager commences training.

**STEP 3** The facility manager notifies the rest of their workforce and sends them sign up details, including the site's HPI-F code.

**STEP 4** Workforce signs up using this link **HERE** and commences training.

**STEP 5** The facility manager approves the workforce, giving access to AIR at their site.

After the facility manager is authorised, they will be provided with details to disseminate to their workforce including a user sign-up link. This should be shared with users after the facility manager has already signed up. Users can choose to sign up using My Health Account - MHA or their email. This becomes the way they continue to login into the AIR.

For any questions or support on new user onboarding, please find the contact details of your local AIR administrator listed below.

Te Tai Tokerau Northland	<b>nir@northlanddhb.org.nz</b>
Te Toka Tumai Auckland	<b>nir@adhb.govt.nz</b> 0800 929 999
Waitematā	<b>nir@waitematadhb.govt.nz</b> 0800 929 999
Counties Manukau	<b>kidslink@middlemore.co.nz</b> 0800 454 375 or 09 259 6994
Waikato	<b>nir_coordinators@waikatodhb.health.nz</b> 0800 100 273 option 1
Hauora a Toi Bay of Plenty	<b>imms@bopdhb.govt.nz</b> 0800 829 002
Te Matau a Māui Hawke's Bay	<b>nirhb@hbdhb.govt.nz</b> 0800 729 100
Te Pae Hauora o Ruahine o Tararua MidCentral	<b>NIR.OIS@midcentraldhb.govt.nz</b> 06 350 4566 or 06 350 4568
Tairāwhiti	06 869 2092 ext. 8732 or 0800 935 524
Lakes	<b>NIRTeam@lakesdhb.govt.nz</b> 027 223 2406
Taranaki	<b>TDHB.RegionalScreeningTeam@tdhb.org.nz</b> 06 753 7702
Whanganui	<b>nir@wdhb.org.nz</b>
Wairarapa	<b>nir@tuora.org.nz</b> 06 261 8316
Capital, Coast and Hutt Valley	<b>nir@tuora.org.nz</b> 04 886 5020 or 04 260 6611
	<b>RES-NIR@huttvalleydhb.org.nz</b> 04 570 9797
Nelson-Marlborough	<b>programme.support@nmdhb.govt.nz</b> 03 543 7912
Waitaha Canterbury/South Canterbury	<b>nircanterbury@cdhb.health.nz</b> 03 337 8928 or 03 337 8966
Southern	<b>nir@southernhb.govt.nz</b> 0800 787 998.
Te Tai o Poutini West Coast	<b>nirwestcoast@wcdhb.health.nz</b> 03 769 7531

## 5.2 Where the consumer has an NHI number

AIR is linked to consumers' NHI numbers, meaning any consumer with an NHI will automatically be available in AIR (they will have a AIR profile).

## 5.3 Where the consumer does not have an NHI number

Where a consumer does not have an NHI you should, create a new NHI number for that consumer. If you do not have the ability to create an NHI number in Health UI, contact the Ministry contact centre on 0800 855 066 to request an NHI number be set up.

When contacting the centre:

- Provide the payee number for the Health District or hospital
- Identify the COVID-19 vaccination clinic
- Provide the name of the consumer
- Once the NHI is created, make sure it is linked to AIR using the NHI retrieval function. Retrieving the NHI will create a person profile in AIR which can then be used to create immunisation case records as normal.

**Note:** It is not mandatory to collect information on the consumer's residency status when setting up new NHI numbers. Experience has demonstrated that collecting residency information can be a barrier for consumers both in their uptake and receipt of healthcare services.

## 5.4 AIR vaccinator portal support

If the site team is using the AIR vaccinator portal and requires support, they should contact their AIR administrator in the first instance before contacting the AIR ServiceDesk.

AIR vaccinator portal how-to guides are available (see the **Staff training and reference materials** section above).

# 6 Logistics

## 6.1 Logistics

NPHS Health New Zealand Te Whatu Ora will maintain the Inventory portal to support ongoing monitoring of inventory and demand. **Appendix D** shows the current process for distributing the vaccine to vaccination sites. **Appendix E** provides National Immunisation logistics overview/ cheat sheets.

### Logistics support

NPHS Health New Zealand Te Whatu Ora provides two levels of customer support.

- Level one is NPHS Health New Zealand Te Whatu Ora's IT helpdesk. The helpdesk deals with log-in and access issues and can be contacted by email: **help@imms.min.health.nz** or by phone on **0800 223 987**.

Level two is the National Immunisation logistics customer services team. This team can assist with support for order placing and approval, inventory management, and use of the Inventory portal. NPHS Health New Zealand Te Whatu Ora's logistics customer service can be contacted by email: **vaccinelogistics@tewhatauora.govt.nz**

For further detail about how to log into the Inventory portal contact **<https://www.immune.org.nz/catalogue/managing-inventory-in-the-covid-19-imms-register-v1>** **help@imms.min.health.nz** or by phone on **0800 223 987**.

# 7 Equipment ordering

## 7.1 Ordering IT equipment

Provide the IT requirements, outlined in table 7.1 below, at vaccination sites to ensure staff can access the AIR vaccinator portal or integrated PMS. Before starting vaccinations, ensure all IT equipment has been tested, and all staff have received the necessary training to use the devices. Advise each site team where they can access additional IT support (for hardware issues), including after-hours support if your vaccination site is operating outside standard business hours.

**Table 7.1 – IT requirements**

Requirement	Details
 <b>Network</b>	<ul style="list-style-type: none"> <li>A secure network (Wi-Fi, hard wired, or 4G) with connectivity to the device running AIR vaccinator portal (or PMS) and Inventory, and to the user’s mobile phone or computer.</li> <li>Site Wi-Fi specifications: Coverage ranging to reception, vaccination and waiting areas Highly available network (such as fibre and 4G backup)</li> </ul>
 <b>Internet Browser</b>	<ul style="list-style-type: none"> <li>Chrome is the recommended internet browser. Other browsers support the AIR vaccinator portal, but Internet Explorer is not supported (use Microsoft Edge if needed).</li> </ul>
 <b>Computer or Tablet Device</b>	<ul style="list-style-type: none"> <li>Any laptop from the last five years should be compatible with AIR vaccinator portal (or PMS) and Inventory providing it has the appropriate browser access.</li> <li>For further information see: <a href="https://help.salesforce.com/articleView?id=sf.getstart_browser_recommendations.htm&amp;type=5">https://help.salesforce.com/articleView?id=sf.getstart_browser_recommendations.htm&amp;type=5</a></li> </ul>
 <b>Mobile Phone</b>	<ul style="list-style-type: none"> <li>AIR vaccinator portal and Inventory users require an iOS or Android mobile phone to download the Salesforce Authenticator application. This can be downloaded from the App Store on iOS and the Play Store on Android.</li> <li>You can scan the QR code on the right to locate the Salesforce Authenticator app in the relevant App Store.</li> </ul> 

## 7.2 Ordering personal protective equipment (PPE)

Please order required PPE as per local guidance.

## 7.3 Ordering site collateral

Te Whatu Ora – Health New Zealand has prepared immunisation collateral to support the vaccination programme. **Always check that you are using the latest version.**

You can access immunisation collateral using the NIP Dropbox, **HealthEd** or by ordering printed collateral from Bluestar (see below for how to sign up).

Pre-printed copies of some resources can be ordered via the BlueStar Portal here: BlueStar Portal homepage ([https://portal.bluestar.co.nz/login/moh\\_vaccine](https://portal.bluestar.co.nz/login/moh_vaccine)).

If you are not already registered, you can register on the BlueStar Portal by

- Below the login details, select '**Need to Register?'**
- 1. Complete the online registration form (include your clinic/practice/pharmacy name and your contact details).
- 2. You will receive an email confirming your registration.
- 3. Click the button in the email to 'Activate' your registration.

The screenshot shows a login interface with the following elements:

- Text: "Please enter your username and password below:"
- Input field: "Username"
- Input field: "Password"
- Button: "LOGIN" (orange background)
- Link: "Keep me logged in" (with an unchecked checkbox)
- Link: "Forgot your password?"
- Link: "Need to Register?" (highlighted in yellow)
- Link: "Download User Manual"

Once you have been set up as a user. You will receive an email from BlueStar with log on details. Access can take a few working days.

IMAC has also prepared a consent video which can be displayed in site reception areas if desired. This video is available on the **IMAC website**.

**Note:** An interpreter may be arranged to be available on site to assist consumers who speak languages other than English, including New Zealand Sign Language. See the **Equitable access** section above for more information about interpreters.

Some collateral items have been translated and are available on Dropbox and/or Bluestar.

**Table 7.2 – site collateral ordering and purpose**

Collateral	Purpose	How to Order
<p><b>COVID-19 informed consent suite, which includes:</b></p> <ul style="list-style-type: none"> <li>• <b>HP8590 What you need to know about the COVID-19 vaccination</b></li> <li>• <b>HP7565 COVID-19 vaccination consent form</b></li> <li>• <b>HP8591 After the COVID-19 vaccination</b></li> <li>• <b>HP7568 Privacy statement</b></li> </ul>	<p>To share with consumers on site or before attending the vaccination site</p>	<p>Download directly from the NIP Dropbox.</p> <p>Some items are available in hard copy via Bluestar portal.</p>

<b>COVID-19 vaccine FAQs</b>	To provide answers to FAQs	Available on the <b>Health NZ website</b>
<b>Vaccination recording form</b>	For use if AIR is unavailable	Available from the <b>Health New Zealand Te Whatu Ora website</b>
<b>Consent form (which includes fields to capture required consumer data)</b>	For use if AIR is unavailable	Download directly from the NIP Dropbox.
<b>Adverse Event after Immunisation Reporting</b>	To provide information to the Centre for Adverse Reactions Monitoring (CARM) and enable accurate record keeping	Available on the CARM website: <a href="https://pophealth.my.site.com/carmreportnz/s/https://report.vaccine.covid19.govt.nz/">https://pophealth.my.site.com/carmreportnz/s/https://report.vaccine.covid19.govt.nz/</a>
<b>Vaccine Error Reporting Form</b>	To enable accurate record keeping, consumer advice and open communication and learning and improving from the incident.	All incidents/errors/near misses should be reported to your manager/organisation.  Clinical advice can be provided by your Immunisation Coordinator or by calling 0800 IMMUNE (0800 466 863)  Incidents can be reported using the online incident and reflection form.  <a href="https://immune.org.nz/factsheets/vaccine-incident-reporting-form">https://immune.org.nz/factsheets/vaccine-incident-reporting-form</a>
<b>Vaccination station material</b>	Promotional material to support vaccination site set up	Order via Bluestar
<b>Instructions for the Preparation and Administration of vaccines and vaccine fact sheets and screening tools</b>	For vaccinators and staff on site	Included in vaccine shipments and are available on the <b>IMAC website</b> .
<b>'Where to get help' poster</b>	To provide information simply and quickly	Contact the Health District communications manager

**Table 7.3 – site and facility set up for vaccine delivery**

<b>Information required</b>	<b>Details</b>	<b>Process</b>
<b>Site and facility set up information</b>	<ul style="list-style-type: none"> <li>Site and facility information must be provided to NPHS Health New Zealand Te Whatu Ora five (5) days in advance of any initial deliveries.</li> </ul>	<ul style="list-style-type: none"> <li>Use the <b>New facility site set up form (found in Appendix B)</b> to submit site or facility details</li> <li>Return the completed form via email to <b>help@imms.min.health.nz</b></li> </ul>

## 7.4 Ordering Interwaste vial disposal bins for Comirnaty 10mcg and 3mcg vials

As part of site preparations, Interwaste must be contacted to arrange the delivery of an Interwaste vial disposal bin (see the **Disposal of consumables, vaccine, and vaccine packaging** section below).

Contact Interwaste on 0800 102 131 (business hours) as soon as the site is approved. Provide at least five business days' notice before the container is required to arrive. Interwaste will collect the relevant details such as the site manager's name and contact details, the delivery date for the first container, and the site delivery address information.

**Do not order Interwaste vial disposal bins for disposal of Comirnaty LP.8.1 30mcg pre-filled syringes.** Pre-filled syringes should be disposed of in sharps bins at the point of use. Local procedures are to be followed to arrange collection of sharps bins and other medical waste.

## 7.5 Inventory management

The Inventory Portal provides a centralised place for vaccine and consumables orders, managing stock on hand (SOH), arranging transfers, and recording consumption and wastage of unopened vaccine vials.

NPHS Health New Zealand Te Whatu Ora logistics team will continue to monitor demand and allocation using data from the Inventory Portal. Key data monitored includes:

- Stock on hand (daily stock takes)
- Stock movements, including ordering, transfers, wastage, consumption, and stock adjustments
- Stock consumption
- Stock waste
- Quarantine of and repacking of stock.

Please contact your regional liaison if you have feedback on the immunisation process or recommendations for operational improvements.

## 7.6 Operational reporting

Health Districts or providers should report significant events at sites such as a significant adverse reaction, or adverse events affecting consumers to Health New Zealand Te Whatu Ora.

# 8 Vaccine storage and handling


## 8.1 Vaccine security


To ensure the security of the vaccine, the following minimum standards must be met:

- If the vaccine is to be stored overnight at the vaccination site, the building should be in a controlled-access environment (such as Maritime Port).
- If the building is not in a controlled-access environment (such as a community hall), the building should be able to be secured and have a monitored alarm.
- In the event of the vaccines being stored at a vaccination site without controlled access and not a building (such as a tent), an overnight onsite security guard must be present.

## 8.2 Differentiation of vaccines

Syringe labels are available for infant 3mcg MDV yellow cap vaccine only and can be ordered from the Inventory Portal in packs of 10.

Vaccine Labels	
<b>Label for Comirnaty LP.8.1 3mcg/0.3mL multi-dose vial (3 doses) yellow cap vaccine (6 months to 4 years)</b>	

Vaccine packaging	
<b>Comirnaty LP.8.1 30mcg/0.3mL pre-filled syringe vaccine light grey label border (12+ years)</b>  <b>Pack size: 10 syringes per pack</b>  <b>Note:</b> Each pack contains 2 x plastic inners of 5 pre-filled syringes. Vaccines must be stored in the pack to protect from light.	

<p><b>Comirnaty LP.8.1 10mcg/0.3mL single-dose vial light blue cap vaccine (5 to 11 years)</b></p> <p><b>Pack size: 10 vials per pack</b></p>	
<p><b>Comirnaty LP.8.1 3mcg/0.3mL multi-dose vial (3 doses, dilute to use) yellow cap vaccine (6 months to 4 years)</b></p> <p><b>Pack size: 2 vials per pack</b></p> <p><b>Note:</b> 10 vial packs are currently not available to order.</p>	

**Note:** The sub-batch labels on the vaccine packs for Comirnaty 10mcg and 3mcg vaccines are colour coded to assist with differentiation and identifying the 'in-use' expiry date.

## 8.3 Cold chain storage

All facilities must hold cold chain accreditation as per the ***National Standards for Vaccine Storage and Transportation for Immunisation Providers 2017*** (the National Standards). The cold chain accreditation expiry date and back up fridge for each facility should be recorded in the Inventory Portal.

Vaccine must be stored and transported in cold chain accredited conditions. NPHS Health New Zealand Te Whatu Ora requires any individuals responsible for handling the vaccine to have completed the appropriate cold chain training. If providers are to be offering off-site vaccination services, the Immunisation Co-ordinator should be contacted to offer guidance and ensure that any local sign off is completed prior to starting the service.

Further information on cold chain management is available in **section 2.1** of the ***Immunisation Handbook***. See also manufacturer's specifications for approved product handling, available at: <https://www.medsafe.govt.nz/Medicines/infoSearch.asp>

See Pfizer COVID-19 vaccines storage details in table below. Storage should protect from light.

**Table 8.1 – vaccine shelf life**

Vaccine type	State	At +2°C to +8°C	At ambient temperature
--------------	-------	-----------------	------------------------

<p><b>Comirnaty LP.8.1 30mcg/0.3mL pre-filled syringe light grey label border vaccine (12+ years)</b></p>	<p><b>Vaccine is prediluted</b></p>	<p><b>Up to 12 months</b> from manufacture.</p> <p><b>Note:</b> Refer to expiry date on the vaccine pack and syringe which are the same.</p> <p>Vaccines can be administered on day of expiry (up to midnight).</p>	<p><b>Vaccine should be prepared as needed.</b></p> <p>Remove tip cap by slowly turning the cap counterclockwise. Attach a needle appropriate for intramuscular injection.</p> <p>It is recommended that a vaccine dose is administered as soon as possible.</p>
<p><b>Comirnaty LP.8.1 10mcg/0.3mL single-dose vial light blue cap vaccine (5 to 11 years)</b></p>	<p><b>Vaccine is prediluted</b></p>	<p><b>Up to 10 weeks</b> after removal from the ULT freezer.</p> <p><b>Note:</b> Please always follow the 'in-use' expiry date label on the vaccine pack. Vaccines can be administered on day of expiry (up to midnight). The expiry date on <b>the vial</b> is only relevant to ULT freezer storage.</p>	<p><b>Vaccine should be prepared as needed.</b></p> <p>It is recommended that a vaccine dose is administered as soon as possible after drawing up into a syringe.</p> <p><b>Refer to IMAC preparation guide.</b></p>
<p><b>Comirnaty LP.8.1 3mcg/0.3mL multi-dose vial (dilute to use) yellow cap vaccine (6 months to 4 years)</b></p>	<p><b>Vaccine requires dilution</b></p>	<p><b>Up to 10 weeks</b> after removal from the ULT freezer.</p> <p><b>Note:</b> Please always follow the 'in-use' expiry date label on the vaccine pack. Vaccines can be administered on day of expiry (up to midnight). The expiry date on <b>the vial</b> is only relevant to ULT freezer storage.</p>	<p><b>Allow the vial to come to room temperature</b> (not cold to touch)</p> <p><b>Diluted vaccine stored in vial has 12-hour expiry</b> (2°C to 30°C)</p> <p><b>Diluted vaccine stored in syringe has 6-hour expiry from draw up or from expiry time on vial, whichever is soonest</b> (2°C to 30°C)</p> <p><b>Refer to IMAC preparation guide.</b></p>

## 8.4 Process for Refrigeration Failure or Temperature Excursion.

In the event of refrigeration failure which results in a temperature excursion of the vaccine, follow the steps below.

**Table 8.2 – refrigeration failure process**

<p><b>Step 1</b></p>
<p><b>Label the vaccines 'not for use' and in the event:</b></p>

<ul style="list-style-type: none"> <li>• The refrigerator is currently running within the +2°C to +8°C range, the labelled vaccines are to be retained in your refrigerator.</li> </ul>	<ul style="list-style-type: none"> <li>• The refrigerator is not within the +2°C to +8°C range, reversible causes should be considered (door open, power interruption). If no cause found, the labelled vaccines are to be packed into a chilly bin, with a temperature monitoring device and transported to the nearest back-up provider (details for this are in your cold chain policy and in the Inventory Portal).</li> </ul>
<b>Step 2</b>	
<b>Contact your local immunisation/cold chain coordinator for advice and further actions.</b>	
Contact details should be in your cold chain policy and can also be found on <a href="https://www.immune.org.nz/resources/regional-advisors-and-local-coordinators">https://www.immune.org.nz/resources/regional-advisors-and-local-coordinators</a>	
<b>Step 3</b>	
<b>Document the steps and actions taken.</b>	

## 8.5 Movement of vaccine

Vaccine can be moved around a vaccination facility carefully if required. Avoid any unnecessary movement or handling. Care should be taken to not shake or drop vaccine packs or individual vials or syringes during transportation, preparation, or administration.

**Note:** If vials or pre-filled syringes are dropped and have visible damage, or there is another reason for concern about whether the vaccine is still viable, contact **IMAC for advice on 0800 IMMUNE (466 863)**,

## 8.6 Repacking vaccine at Health District facilities

Re-packing only applies to Comirnaty vaccines.

- **Who can re-pack vaccines?**  
Only a Health District hospital pharmacy department can repack the vaccine packs down to distribute to a vaccinator or site. This function is actioned under their hospital pharmacy's Licence to operate Pharmacy and only able to do so for supply within their Health District. In this circumstance, Health District means within the Health District legal entity.
- **Who cannot re-pack vaccines?**  
Health District hospital pharmacy departments are not able to re-pack the vaccine packs for supply to providers outside of their Health District.

- **What if a hospital pharmacy is required to repack the vaccine packs?**  
The Health District hospital pharmacy department will need a packing licence issued to them by Medicines Control.

## 8.7 Transportation of vaccine to other locations

### 8.7.1 Permissible Stock Movement

Sites who have received their vaccine stock from a Health District Pharmacy can contact the pharmacy to organise a stock movement. The Health District Pharmacy can move whole packs, under their wholesale license. Note: all movements must comply with the **National Standards for Vaccine Storage and Transportation for Immunisation Providers 2017**.

This has significant resource implications for the Health District Pharmacy therefore tight stock management is important to minimise waste. If a stock transfer is necessary, plan ahead to provide maximum time to support Health District Pharmacy processes.

A provider may take their own vaccine offsite for outreach/home visiting purposes. All cold chain requirements must be met.

No other transportation of vials is permissible.

### 8.7.2 Restrictions on Transport Durations

**For Comirnaty vaccines:**

There is no limit on the transit time of an unopened vials transported at 2°C to 8°C however, normal shelf-life limits apply.

## 8.8 Transportation of diluted or drawn-up vaccine from vials

### 8.8.1 Transportation of pre-drawn syringes

The syringes must be appropriately labeled (content, volume, batch, and expiry). It is recommended that labels designed for each vaccine are used. Best practice is to transport the vial and draw up as needed.

### 8.8.2 Bulk preparation of pre-drawn syringes

The bulk preparation of pre-drawn vaccine to be transported to another location is regarded as compounding and is not permitted unless it is undertaken in an approved facility (such as a hospital pharmacy aseptic unit, or a third-party commercial compounder) with appropriate checks, documentation, and regulator audit.

**Note:** It is recommended that a vaccine dose is administered as soon as possible after drawing up into a syringe. The maximum storage time in a syringe is 6 hours between +2 and +30°C.

# 9 Vaccine and consumables ordering and delivery

## 9.1 Vaccine ordering

### 9.1.1 Inventory order

Contact [help@imms.min.health.nz](mailto:help@imms.min.health.nz) for access to Inventory Portal. Vaccine stock (inventory) can be ordered using the Inventory Portal in two ways:

- Direct from the national distribution hubs using a supplier order (see section below),  
or
- From another vaccine site using a **transfer order** (see section below).

See the Inventory Portal homepage for how-to guidance.

### 9.1.2 Supplier order

This is an order where the stock will come directly from a national distribution hub and the order must be approved by NPHS Health New Zealand Te Whatu Ora team. Users must be associated with a location to place a supplier order.

See the Inventory Portal homepage for how-to guidance.

#### **Cancelling orders**

Orders can be cancelled before they are approved by NPHS Health New Zealand Te Whatu Ora. This is to allow corrections to an order that might be incorrect or orders that are no longer required.

### 9.1.3 Transfer orders

This is a transfer between two locations. It is used routinely to transfer stock between Health District Hospital Pharmacies and mobile vaccination sites. For fixed vaccination sites, the transfer order process is only used for surge/back-up transfers for delivery from Health District Hospital Pharmacies, or end of day returns between two locations. Users must be associated with a location to place a transfer order.

See the Inventory Portal homepage for how-to guidance.

**Table 9.1 – ordering information required**

Details	
<ul style="list-style-type: none"> <li>• Each site will be allocated a day of the week for delivery.</li> <li>• The inventory portal will only allow orders for deliveries on the allocated delivery day(s).</li> <li>• For the Pfizer Comirnaty Vaccine, a facility should consider the size of the packs they are ordering and their ability to break down packs to avoid unnecessary vaccine movement or wastage.</li> <li>• Vaccine orders must be made through the inventory portal.</li> <li>• Vaccine orders must be submitted before the cut off time before your allocated delivery day (see table below).</li> <li>• Please plan to place orders regularly – target having no less than <b>3 weeks stock on hand (based on recent demands) at all times</b> to ensure you cover short term demand peaks, or delivery issues relating to emergency events e.g.; earthquakes, wild weather, etc...)</li> </ul>	
Provider cut offs	
Send orders to QA Approvers by 3PM:	Receive stock on:
Thursday	Monday
Friday	Tuesday
Monday	Wednesday
Tuesday	Thursday
<p><b>From 1 March 2026 there will be no vaccine deliveries on Fridays.</b></p>	

### 9.1.4 Vaccine delivery schedule

- **How often can I receive vaccine deliveries?**  
A site is assigned a designated delivery day on the standard delivery schedule. This is based on the logical routes the courier provider follows and helps manage delivery costs for the programme. This allows for 1 delivery per week every week as needed.
- **Can my delivery schedule change?**  
The schedule will be discussed and agreed with Health Districts or providers and can be reviewed when required.
- **What if I miss the QA approver cut off for ordering vaccines?**  
If you miss the provider cut off time then the order will automatically be scheduled for the next delivery day, in most instances the next week. Please plan and have your orders placed prior to the provider cut off times. Please ensure you target a minimum of 3 weeks stock on hand to help avoid this issue.
- **Where will the vaccine be shipped to?**  
To the location agreed with the Health District or provider.
- How will I know what vaccines I am due to receive?

The Inventory Portal shows designated delivery days and incoming orders.

- **What if I receive a shipment I am not expecting or do not receive a shipment when I am expecting one?**

Delivery tracking will be managed centrally by NPHS Health New Zealand Te Whatu Ora. Please contact NPHS Health New Zealand Te Whatu Ora logistics customer services team.

### 9.1.5 Vaccine unit sizes and dimensions

	Unit Size	Unit Dimensions
<b>Comirnaty LP.8.1 30mcg (12 + years) light grey border label Pre-filled syringes</b>	10 single-dose pre-filled syringe packs	123mm x 99mm x 52mm
<b>Comirnaty LP.8.1 10mcg (5-11 years) light blue cap Single-dose vials</b>	10 single-dose vial packs	37mm x 47mm x 89mm
<b>Comirnaty LP.8.1 3mcg (6 months – 4 years) yellow cap Multi-dose vials (3 doses per vial)</b>	10 multi-dose vial packs (not available, can be ordered in 2 multi-dose vial packs)	37mm x 47mm x 89mm
	2 multi-dose vial packs	130mm x 65mm x 45mm

**Table 9.2 – Consumables order as required\***

Item	Purpose	Carton size
<b>Biohazard Yellow Bags</b>	Disposal of waste	50
<b>Sharps Containers – 15 L</b>	Disposal of sharps	Singles
<b>Antiseptic Swabs</b>	Vial top disinfectant	200
<b>Non-Woven Swab</b>	Swab	100
<b>Injection Plaster</b>	Plaster	250
<b>10 mL Saline (for 3mcg (6 months – 4 years) yellow only)</b>	Diluent	100 x 10mL
<b>BD 3 mL Syringe</b>	Drawing-up syringe for saline	100
<b>Nipro 25G Standard Needle</b>	Drawing up needle for saline	100

**Table 9.3 – Administration syringes and needles**

Item	Vaccine	Carton size
	Comirnaty (6 months - 4 years)	100

<b>SOL-M 1ml Syringe + 25Gx16mm Needle</b>		Comirnaty (5 -11 years)	
<b>BD Hypodermic Needle 25Gx25mm</b>	Administration needle standard	Comirnaty (12+ years)	100
<b>BD Hypodermic Needle 25Gx38mm</b>	Administration needle for larger arms		100

\*Consumables are currently only available to order through the Inventory Portal for use with COVID-19 vaccines.

## 9.2 Delivery to sites

Figure 9.1 – delivery security

		
<b>Warehouse/distribution provider</b>	<b>Health District facility or vaccination facility</b>	<b>Vaccination site</b>
<b>Role of NPHS Health New Zealand Te Whatu Ora</b>	<b>Role of Health District</b>	<b>Vaccine handover</b>
NPHS Health New Zealand Te Whatu Ora will arrange secure transportation of the large quantities of vaccine from the vaccine distribution provider to the cold chain storage facility (such as Health District facility or vaccination site) using a NPHS Health New Zealand Te Whatu Ora-contracted courier.	<ul style="list-style-type: none"> <li>• If the vaccine is transported to a Health District cold chain storage facility, secure transportation of the vaccines from that facility to the vaccination sites becomes the responsibility of the relevant Health District or provider.</li> <li>• In the event vaccines are to be transported from a local facility to the vaccination site, the unique circumstances of such transportations should be considered in the site risk assessment.</li> <li>• In the event couriers or authorised personnel (such as vaccinators, administrators, or security) are conducting the transport, NPHS Health New Zealand Te Whatu Ora recommends there should be direct travel to the vaccination site (that is, no transit points).</li> </ul>	<p><b>Note:</b> There should be a local procedure in place to ensure the person responsible for transporting the vaccine can be identified. This is to ensure the Health District, or provider has complete confidence they are handing over the vaccine for delivery to the appropriate person. There is no requirement for the person to be a vaccinator.</p>
<b>Temperature controlled shipper boxes that may be used for vaccine transportation from warehouse/distribution provider</b>		

	
<p><i>Credo Cube</i></p>	<p><i>Platinum Cell</i> (replacing Cold Green Cell June 2025)</p>
<p>Note the placement of the all-in-one Google Scout temperature/ tracking device is on top of the vaccine pack in the Credo shipper box.</p> 	<p>Please note placement of the all-in-one TrackIT V3 temperature/ tracking device with LCD screen is on the inside of the Platinum Cell shipper box.</p> 

## 9.3 Delivery temperature and expiry date checks

Check batch and expiry date of vaccine packs against the packing slip on receipt of deliveries. Contact CST Logistics Desk if there are any discrepancies.

## 9.4 Vaccine stock/inventory management

- Stock should be used on a **first to expire first out** (FEFO) basis, to ensure waste due to expiry is minimised.
- If there is any concern that a site has excess stock, this should be reported to the Health District who can arrange redistribution.
- Sites should hold a minimum of three (3) weeks of stock cover.

### Process

Site stock on hand should be managed through the Inventory Portal.

1. Once stock is delivered to a site:
  - Check and verify batch details against details on the packing slip and order record. Report any discrepancy to the CST Logistics Desk.
  - Mark stock as receipted in the Inventory Portal once the site has accepted the stock.
2. Check the vial and follow in-use expiry on vaccine packs. The expiry on pre-filled syringes and vaccine packs is the same.
  - During the preparation of doses
  - Before administration of the vaccine
  - At the end of the day check stock
3. Discard any expired vaccines and record this as waste in the Inventory Portal (see section '**Recording vaccine waste**').
4. Any consumption and wastage must be recorded in the Inventory portal daily to ensure vaccines are traceable and the Inventory portal reflects what is stored in fridges.
5. Once consumption is recorded in the Inventory Portal, all remaining stock on site must be checked against the stock showing in the Inventory Portal to ensure that there are no discrepancies.
6. Any discrepancies must be investigated and captured in the Inventory Portal as stock adjustment.

See the Inventory Portal homepage for how-to guidance.

**Table 9.4 – site delivery and receipt process**

Step	Action
 <p><b>Health District/provider logistics lead provides site contact and delivery details</b></p>	<p><b>Site checklist</b></p> <p>The site checklist must be completed prior to the site commencing vaccinations (see <b>Appendix A</b>).</p>
	<p><b>Site contact</b></p> <ul style="list-style-type: none"> <li>• The Health District or provider logistics lead must provide NPHS Health New Zealand Te Whatu Ora with:               <ul style="list-style-type: none"> <li>○ a site contact (a named role and a phone/mobile number)</li> <li>○ detailed delivery instructions, including address and any special instructions (such as separate entrances and so on).</li> </ul> </li> <li>• Submit this information using the New facility/ site set-up form (<b>Appendix B</b>) <i>at least 5 days prior</i> to ordering vaccines for that site.</li> </ul>
	<p><b>Availability of site contact to sign for deliveries</b></p> <ul style="list-style-type: none"> <li>• A site contact should be regularly available on site to accept and sign for deliveries. Please notify <b>urgent</b> site contact changes to NPHS Health New Zealand Te Whatu Ora logistics team.</li> </ul>
	<p><b>Cold chain accreditation</b></p>

Step	Action
	<ul style="list-style-type: none"> <li>NPHS Health New Zealand Te Whatu Ora recommends individuals handling vaccines are cold chain accredited; however, this is not a requirement.</li> </ul>
 <p><b>Vaccine distribution provider packs and ships vaccine</b></p>	<p><b>Ship under cold chain conditions</b></p> <ul style="list-style-type: none"> <li>The vaccine distribution provider will pack and ship the vaccine under cold chain conditions in shipper boxes, depending on delivery destination, at +2°C to +8°C.</li> </ul>
 <p><b>Site contact receives the package</b></p>	<p>The courier will hand the package to the site contact. Before signing for the package, the site contact will:</p> <ul style="list-style-type: none"> <li>Confirm the shipper box is addressed to them/their site.</li> </ul>
<p><b>Site contact checks the temperature datalogger</b></p> <p><b><u>Google Scout Temperature Reading</u></b></p>  <p><b>If the temperature datalogger shows:</b></p> <p><b>No light</b></p> <ul style="list-style-type: none"> <li>Temperature is within limits</li> </ul> <p><b>Red light</b></p> <ul style="list-style-type: none"> <li>Temperature breach has occurred</li> </ul> <p><b>Battery indicator on side of Google Scout is for HCL use only.</b></p>	<p><b>Check for a temperature breach</b></p> <p>The site contact must follow the process below:</p> <ul style="list-style-type: none"> <li>Read the temperature datalogger immediately after opening the shipper box (before removing the vaccine packs).</li> <li>Do not attempt to stop the temperature datalogger.</li> <li>Leave the datalogger in the shipper box.</li> </ul> <p><b>In the event of a temperature breach</b></p> <ul style="list-style-type: none"> <li>Quarantine the shipment in cold chain conditions.</li> <li>Contact the Logistics Customer Support Service Team immediately.</li> </ul> <p><b>Temperature breach – next steps</b></p> <p>The Health New Zealand Te Whatu Ora logistics team will advise the site contact on the next steps, such as the need to re-order and use of quarantined vaccines once the temperature report has been reviewed.</p>

Step	Action
<p data-bbox="260 266 635 293"><b>TrackIT V3 Temperature Reading</b></p> <div data-bbox="260 304 472 898">  </div> <p data-bbox="260 920 603 976"><b>If the temperature datalogger shows:</b></p> <p data-bbox="260 987 459 1014"><b>Green light and ✓</b></p> <ul data-bbox="260 1037 628 1064" style="list-style-type: none"> <li>• Temperature is within limits</li> </ul> <p data-bbox="260 1086 437 1113"><b>Red light and X</b></p> <ul data-bbox="260 1135 584 1191" style="list-style-type: none"> <li>• Temperature breach has occurred</li> </ul> <p data-bbox="260 1214 632 1303"><b>If the screen is not displaying on the TrackIT device press the button once.</b></p>	
<div data-bbox="316 1339 608 1503">  </div> <p data-bbox="260 1518 504 1574"><b>Site contact conducts visual check</b></p>	<p data-bbox="671 1335 810 1361"><b>Visual check</b></p> <ul data-bbox="671 1373 1347 1906" style="list-style-type: none"> <li>• The site contact will open the shipper box and the internal packaging and conduct a visual check of the outer packaging of the vaccine pack/s to check for damage and/or leakage. If there is no damage store directly in the fridge.</li> <li>• Each site should check the packing slip to make sure all vaccines have been received.</li> <li>• If there are any signs of damage to the outer packaging, inspect the vials or pre-filled syringes inside the vaccine pack/s: <ul data-bbox="708 1715 1347 1805" style="list-style-type: none"> <li>• Expired or broken vials and pre-filled syringes identified prior to administration needs to be recorded as waste in the Inventory Portal.</li> </ul> </li> <li>• Please see the <b>Standard Operating Procedures</b> in the <b>Inventory orders</b> section regarding how to record vial consumption and waste.</li> </ul>

Step	Action
 <p data-bbox="260 568 628 624"><b>Site contact stores vaccine in cold chain accredited conditions</b></p>	<p data-bbox="667 275 823 300"><b>Store vaccine</b></p> <p data-bbox="667 315 1342 468">The site contact will then store the vaccine packs in cold chain conditions, not the shipper box (<i>Credo/CGC</i>), until the expiry date and time marked on the vaccine pack is reached. Any vials or pre-filled syringes no longer viable must be disposed of following the disposal process detailed below.</p>
 <p data-bbox="260 927 464 952"><b>Receipting orders</b></p>	<p data-bbox="667 651 1342 770">When a vaccine or consumables order is received, it must be receipted into the Inventory portal. This enables the movement of the stock from in transit to available for use in the stock on hand.</p> <p data-bbox="667 786 1342 842">Further details regarding how to use the Inventory portal and be found in the</p> <p data-bbox="667 853 1342 909"><a href="https://www.immune.org.nz/catalogue/managing-inventory-in-the-covid-19-imms-register-v1">https://www.immune.org.nz/catalogue/managing-inventory-in-the-covid-19-imms-register-v1</a> Inventory Portal homepage how-to guidance.</p>
<ul data-bbox="276 976 635 1386" style="list-style-type: none"> <li data-bbox="276 976 635 1099">• <b>The courier will request a signature and leave the shipper box for the provider to unpack.</b></li> <li data-bbox="276 1106 635 1252">• <b>The provider will need to arrange for the return of the shipper box and temperature monitoring device.</b></li> <li data-bbox="276 1258 635 1386">• <b>Please follow the insert instructions included in the packaging to arrange pick up.</b></li> </ul>	<ul data-bbox="675 976 1342 1178" style="list-style-type: none"> <li data-bbox="675 976 1342 1032">• Pre-paid stickers will be included with the delivery for returns.</li> <li data-bbox="675 1039 1342 1106">• The number on the instructions should be called to arrange collection.</li> <li data-bbox="675 1113 1342 1178">• Any fault or damage to the packaging equipment should be reported at the time of return.</li> </ul> <p data-bbox="667 1189 1342 1279"><b>Note:</b> Ensure correct removal or crossing out of the original courier label and original address details to avoid any confusion.</p>

## 9.5 Vaccine and consumables assets and asset management

An asset is an instance of vaccine stock and vaccine consumables, such as: 10 vial pack of vaccine or consumables.

Assets at a location can be updated through:

- Stock re-work
- Stock adjustment
- Quarantine stock
- Recording consumption, or
- Stock on hand.

Asset management can be completed on the Inventory Portal.

### Recording consumption

It is important to record the consumption of vaccine stock and consumables as stock in consumed or, as a minimum, as part of the daily stocktake. The purpose of this is to give an accurate local, regional, and national view of vaccine stock on hand.

Consumption can be recorded in two ways:

1. Consumption – entering directly what has been consumed.
2. Stock on hand – entering a physical count of the stock on hand as part of the daily stock take.

### Recording vaccine waste

It is important for vaccine sites to record vaccine waste in the Inventory Portal only to the unopened vial level (the recording of vaccine wasted at the opened vial level is yet to be determined). This is so that waste can be tracked at a local, regional, or national level.<https://www.immune.org.nz/catalogue/managing-inventory-in-the-covid-19-imms-register-v1> See the Inventory Portal homepage for how-to guidance.

**Table 9.5 – asset management recommended practice**

Recommended practice	Details
<b>Collation of site inventory and operations</b>	Health Districts or providers may wish to collate daily reporting back from sites on inventory and/or operations to aid the supply of information back to NPHS Health New Zealand Te Whatu Ora via the Inventory Portal.
<b>Continuous process improvement</b>	NPHS Health New Zealand Te Whatu Ora welcomes feedback on the immunisation process or recommendations for operational improvements. Please contact your regional liaison to pass on your feedback

# 10 Disposal of consumables, vaccine, and vaccine packaging

Vaccine disposal and other inventory management topics (outlined below) are available as eLearning modules.

## 10.1 Disposal of consumables

Health Districts and providers are responsible for the disposal of consumables. Consumables should be disposed of according to existing procedures (such as disposal into sharps bin and/or biohazard bags). Local procedures are to be followed to arrange collection of the sharps bin and other medical waste.

## 10.2 Disposal of damaged, empty, and expired vaccine vials

When a possible cold chain excursion occurs providers must contact their immunisation coordinator before disposing of any vaccines as per the **National Standards for Vaccine Storage and Transportation for Immunisation Providers 2017**.

Damaged, empty, and expired vaccine vials must be disposed in a Interwaste vial disposal bin and recorded as wastage in the Inventory portal.

As part of site preparations, Interwaste must be contacted at least 5 business days in advance of your site going live to request a vial disposal bin to be delivered to the site. Contact Interwaste on 0800 102 131 (their call centre is available from 8am-5pm weekdays). For more information see the **Ordering Interwaste vial disposal bin** section above.

Interwaste will provide a 20-litre sized container in which to dispose expired (full), empty, broken, or damaged vials. Please note, expired vials should be defaced before disposal. When the container is almost full, contact Interwaste on 0800 102 131 to arrange its pick-up. Interwaste will deliver a new disposal container at the same time they remove the existing container. Interwaste will destroy the vials in an appropriate manner.

Ensure the lid of the Interwaste disposal container remains closed when not in use.



Figure 10.1 – disposal bin

## **10.3 Disposal of pre-filled syringes and vaccines drawn up but not administered and empty vaccine syringes**

Pre-filled syringes and vaccine doses that have been drawn up but not administered must be disposed of in a sharps bin. Similarly, empty/used vaccine syringes should be disposed of in the sharps bin. Seal and remove sharps bins when filled and stored in a secure area for transportation and final disposal.

Manage sharps waste as per NZS 4304:2002 *Management of Healthcare Waste*.

## **10.4 Vaccine packaging disposal**

Ensure all packaging that the vaccine is sent in is appropriately destroyed to ensure packages cannot be replicated.

The vaccine pack must be securely destroyed. It can be disposed of in a secure document destruction bin if one is available or a biohazard bag. Packaging must not be disposed of in household waste collection or recycling centres.

# 11 Site readiness and closure

## 11.1 Site setup form and site checklist

New COVID-19 immunisation providers are strongly recommended to complete the site checklist included in **Appendix A** to assess whether the vaccination meets best practice standards. Regional approvers will work with new COVID-19 immunisation providers to ensure they meet requirements, such as vaccinator training and cold chain, before supporting the providers to be set up to receive vaccine stock.

The new facility/ site set up form (v1.7.5) form (see **Appendix B**) must be submitted **at least five days prior** to the site commencing vaccinations. This information is used to set up the facility or site in the Inventory portal and ensure deliveries are made to the correct address.

Care is required to provide accurate information on this form.

## 11.2 Completing a dry run

NPHS Health New Zealand Te Whatu Ora recommends a site trial or dry run before beginning vaccinations on site to ensure staff are familiar with their roles and consumer flow can be tested. NPHS Health New Zealand Te Whatu Ora logistics team do not provide dry run packs however; an optional order of consumables can be ordered from NPHS Health New Zealand Te Whatu Ora's logistics team which can be used to complete a dry run.

## 11.3 Facility/site closure form

Complete the **facility/site closure form** (see **Appendix C**) as a part of the site and facility closure protocol, and to assess and return stock.

A stocktake of all consumables relating to the COVID-19 Vaccination Rollout must be completed upon site/facility closure. Submit the completed facility and site closure form to NPHS Health New Zealand Te Whatu Ora's logistics team and your Health District logistics Lead. This should be submitted a week before the closure or as soon as the closure of the location is known.

## 11.4 Facility moving location

**Facilities** are where vaccines are shipped to, stored, and subsequently distributed to sites. **Sites** are where vaccines are administered.

Facility Moving Location	New Facility Set-up Required
<p>If a facility needs to move their physical location, and there will be continuity of the Cold Chain Accreditation (CCA), the facility can complete part four of the <b>Facility/Site Set-up form</b> (see Appendix B) confirming Health District approval for the move and that CCA will be in place for the new facility.</p>	<p>If Cold Chain Accreditation (CCA) cannot be transferred to the new location and requires reassessment, please:</p> <ul style="list-style-type: none"><li>• Complete the <b>Facility/Site Closure Form</b> (see Appendix C) and associated procedures.</li><li>• Complete the new <b>Facility/Site Set-up form</b> (see Appendix B) and <b>associated procedures</b>, which will allow the facility to be set up in the Inventory portal for delivery to the new address.</li><li>• Ensure that CCA for the new location has been assessed and approved.</li></ul>

- Cold chain must be maintained during a facility move.
- The only circumstance where vaccines can be delivered to an alternative address to that already set up in the Inventory Portal, is where it is delivered to the nominated address for cold chain fridge back-up (recorded in the Inventory Portal).

# 12 Becoming a COVID-19 Vaccination site

## 12.1 Onboarding

Becoming a COVID-19 vaccination site can be complex, involving engagement with both your local Health District and/or PHO and NPHS Health New Zealand Te Whatu Ora. To ensure consumer safety, vaccination sites will need an appointed Clinical Site Lead to navigate the onboarding process. The Clinical Site Lead is accountable for meeting **clinical safety and quality standards** at their site, as well as supporting **planning, clinical governance, quality, and safety management** processes.

## 12.2 Additional resources

The following supporting documents can be found on the Health New Zealand Te Whatu Ora website and in the links below:

- **Child health COVID-19 resources and professional development**
- **User Onboarding Journey for Book My Vaccine** (also known as NIBS)
- **User Onboarding Journey for the AIR vaccinator portal**